

Work Order ID 159143***159143***

Page 1

Wednesday, April 05, 2017 8:59:41 AM

Item ID: D3018-1 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Seat Cushion
Start Date: 4/6/2017 Start Qty: 2.00 ***2*** Cust Item ID:
Required Date: 4/27/2017 Req'd Qty: 2.00 ***2*** Customer:
Reference: DAS
13
9-69

Approvals: Process Plan: APR 05 2017 Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3018	B								

100

0.00

100

Purchasing

Purchasing

PURCHASING

Memo

Issue P/O: 35882

Possible supplier: Chestnut Ridge Airflex fire-resistant aircraft cushioning

Order: Grade 55.65 (colour orange), Density 3.6lb/ft³

Material must meet FAR 27.853(a) or 25.853(a)

Part is symmetric about centerline-All dimensions

2APR 06 2017DAS
13
9-69

110

0.00

110

Packaging

Packaging

Packaging

Memo

Ensure Material Release Note is attached

2x 80174-25

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		FAULT CATEGORY Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
		OTHER : _____							

Work Order ID 159143***159143***

Page 2

Wednesday, April 05, 2017 8:59:41 AM

Item ID: D3018-1 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Seat Cushion
Start Date: 4/6/2017 Start Qty: 2.00 ***2*** Cust Item ID:
Required Date: 4/27/2017 Req'd Qty: 2.00 ***2*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120	QC6- Inspect dimensions to drawing	0.00				2			DAS 38 9-89
120									
QC	Memo	0.00							
Quality Control	*****REMOVE "CHESTNUT FOAM" LABEL AND ATTACH TO WORK ORDER FOR TRACEABILITY*****								APR 26 2017
130	Identify as per dwg & Stock Location: <u>ST415</u>	0.00				2			DAS 6 9-89
130									
Packaging	Memo	0.02							MAY 02 2017
Packaging									
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.20							
Quality Control									17/5/48 DAS 21 9-89 MAY 02 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
		OTHER : ☐							

Picklist Print

Wednesday, April 05, 2017 8:59:40 AM

Page 1

Work Order ID: 159143

159143

Parent Item: D3018-1

D3018-1

Parent Item Name: Seat Cushion

Start Date: 4/6/2017

Required Date: 4/27/2017

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP: B01.06.08Removed acid etch & alodine EC IPP REV:C
11.08.08 added note per NCR 11-588 DD VERF:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D3018-1P

Purchased

No

110

Each

0.0000

1

2

D3018-1P

Seat Cushion

2x 8017-4-25.

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE


QA Closed: _____ Date: _____

Work Order update only ☐


Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
				Lead hand / Supervisor Approval Verification					
				QC / QA Coordinator Approval					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

SPECIFICATION CONTROL DRAWING

THICKNESS/ HEIGHT	TOLERANCE		LENGTH/ DEPTH	TOLERANCE		WIDTH (LEFT TO RIGHT)	TOLERANCE	
	(*)	(-)		(*)	(-)		(*)	(-)
0.0 - 0.50	0.06	0.06	0.00 - 6.00	0.06	0.06	0.00 - 6.00	0.06	0.06
0.51 - 1.00	0.13	0.06	6.01 - 12.00	0.13	0.13	6.01 - 12.00	0.13	0.13
1.01 - 3.00	0.13	0.06	12.01 - 24.00	0.25	0.25	12.01 - 24.00	0.25	0.25
3.01 +	0.19	0.13	24.01 +	0.50	0.38	24.01 +	0.50	0.38



D3018-1 SEAT CUSHION



APR 05 2017

W/O: 159/43

RELEASED
2011-05-17

NOTES:

- 1) MATERIAL: MUST MEET FAR 27.853(a) OR 25.853(a)
AIRFLEX FIRE-RESISTANT AIRCRAFT CUSHIONING
GRADE 55-65 (COLOUR ORANGE)
DENSITY 3.6 lb/in³
- 2) FINISH: NONE
- 3) TOLERANCES: PER TABLE 1
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A

- 6) IDENTIFICATION: TAG(S), BURNED, TO SHOW THE FOLLOWING AT MINIMUM:
CHESTNUT RIDGE FOAM, INC.
443 WAREHOUSE DR.
LATROBE, PA 15650
SC#
DATE MFD:
DART AEROSPACE LTD. P/N D3018-1
- 7) PART IS SYMMETRICAL ABOUT CENTERLINE
- 8) MAKE PER TEMPLATE
- 9) POSSIBLE SUPPLIER: CHESTNUT RIDGE P/N 502148-99

B	UPDATE TO CURRENT STD; DRAWING REVISED IAW CHESTNUT RIDGE MFG DWG. REF: NCR11-588	MB	11.05.10
A	NEW ISSUE	CP	01.05.18
REV.	DESCRIPTION	BY	DATE
DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3018	SHEET 1 OF 1
APPROVED		TITLE	SCALE
DE APPR.	SEAT CUSHION	NT	
DATE	11.05.10	COPYRIGHT © 2001 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO35882

Purchase Order Date 4/6/2017 12:29:53 PM
PO Print Date 4/6/2017

Page Number 1 of 1

Order From : VU-CHE001 **Ship To :** DART AEROSPACE LTD
CHESTNUT RIDGE FOAM, INC.
PO BOX 6015
HERMITAGE, PA 16148
US
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name		Buyer	Chantal Lavoie
Vendor Phone	724 537 9000	Customer POID	
Ship To Contact		Customer Tax #	10127-2607
Ship To Phone		Terms	Net 30
Ship Via:	FedEx Overnight collect	Currency	USD
Ship Acct:		FOB	Destination-Collect

Line Nbr	Reference Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
	Line Comments		Promise Date				
	Delivery Comments						
1	D3018-1P	Seat Cushion	4/25/2017		2.00	\$60.40	\$120.80
			Yes		Each		
			4/25/2017				
	AS PER DWG D3018 REV. B						
	B159143						
Line Total:							\$120.80
3	71401-45	PROCUREMENT QUALITY CLAUSES	4/25/2017		1.00	\$0.00	\$0.00
			No				
			4/25/2017				
Line Total:							\$0.00
PO Total:							\$120.80

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 1

Change Date: 4/6/2017

Chestnut Ridge Foam, Inc.
443 Warehouse Drive
P.O. Box 781
Latrobe PA 15650

Phone: 724-537-9000
Fax: 724-537-9003



Pack Slip: 70064

Packing Slip

Page: 1 of 1

Ship To: Fed Exp #1517-9324-0
Dart Aerospace Ltd.
1270 Aberdeen Street
Tel: 613-632-3336
Hawkesbury ON K6A 1K7
Canada

Phone: 613-632-3336
Fax: 613-632-1053

Sold To: Chantal Lavoie Fax#: 613-632-1053
Dart Aerospace Ltd.
1270 Aberdeen Street
Tel: 613-632-3336
Hawkesbury ON K6A 1K7
Canada

Phone: 613-632-3336
Fax: 613-632-1053

Ship Date: 4/19/2017
Ship Via: FedEx Ground

F.O.B.: Origin

PO Line	Part Number/Description Planned Qty	Shipped Qty	Rev	PO Line
---------	--	-------------	-----	---------

Sales Order: 57724

Your PO: PO35882

Salesperson: Matt Gurgio

Customer requests a 4-24-17 ship date.
Certificate of Conformity that all components comply with 14CFR 25.853(a) 12 Second Vertical Burn with Shipment
The following Quality Clause Codes apply to this order: A004, A005, A016, A026, A027, A040, A042, and A043.

Line 1

Rel 1

D3018-1P

AIRFLEX Bottom Cushion
2.00 EA

2.00 EA

Our Part: 502148-99

CONTACT CHESTNUT RIDGE FOAM IF THERE IS DAMAGE OR DISCREPANCIES 724-537-9000

8/14/25



**"URGENT! FLAMMABILITY CERTIFICATION
ENCLOSED. PLEASE FORWARD TO
PURCHASING. DO NOT THROW AWAY!"**

Certificate of Conformance

SOLD TO:

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury
Ontario CANADA K6A 1K7

PURCHASE ORDER: PO35882

SALES ORDER: 57724

DATE SHIPPED: 4/19/17

**I certify that the individual components comprising the part(s) shipped against
the above-referenced purchase order meets:**

14 CFR 25.853(a), APPENDIX F, PART 1(a)(1)(ii), AMENDMENT 25-116

Quantity	Customer Part Number	CRF Part Number	Material	Batch Number
2	D3018-1P	502148-99	CR AIRFLEX 55-65	AF17008

MADE IN THE U.S.A

Kim Bohatch

*Digitally signed by Kim Bohatch
DN: cn=Kim Bohatch,
email=kbohatch@crf.com, o=Chestnut Ridge
Foam, Inc., l=Latrobe, Pennsylvania
Date: 2017.04.19 08:29:06 -04'00'*

❖ 443 Warehouse Drive Latrobe, PA 15650
❖ Phone: 724-537-9000 Fax: 724-537-9003

CHESTNUT RIDGE FOAM INC.
VERTICAL BURN TEST # 16366
12-SECOND VERTICAL BUNSEN BURNER TEST
FOR CABIN AND CARGO COMPARTMENT MATERIALS
SHOWING COMPLIANCE TO THE REQUIREMENTS OF 14 CFR 25.853

PRODUCT : CR AIRFLEX
BATCH / LOT NO : AF17008
CUSTOMER : PRODUCTION
P.O. NO :
OTHER IDENTIFICATION : CR AIRFLEX 55-65, 1/2 inch thickness
CRF P/N:

TEST BEING RUN : VERTICAL BUNSEN BURNER TEST: 12 SECOND IGNITION TIME
MEETS REQUIRED MINIMUM FLAME TEMPERATURE OF 1550°F : YES

MATERIAL COMPOSITION : AIRFLEX

MATERIAL PATTERN : NA

MATERIAL COLOR : Orange

CONDITIONING STARTED : DATE : 2-28-17
TIME : 3:00 PM

TEST STARTED : DATE : 3-2-17
TIME : 3:15 PM

RESULTS :


	FLAME TIME (SECONDS)	DRIPPINGS (SECONDS)	BURN LENGTH (INCHES)
#1.	0.0	0.0	3.8
#2.	0.0	0.0	4.2
#3.	0.0	0.0	4.1
AVG.	0.0	0.0	4.0

PASS : X FAIL :

COMMENTS :

THIS MATERIAL MEETS THE REQUIREMENTS OF THE 14 CFR, PART 25, SECTION 25.853,
PARAGRAPH (a) AND APPENDIX F, PART 1, (a), (1), (ii).

TESTED BY : Kelly Bures
Laboratory Technician



CHESTNUT RIDGE FOAM, INC.

443 WAREHOUSE DR.
LATROBE, PA 15650

P/N: 502148-99

SO#: **57724**

DATE MFD: **05/17**



CHESTNUT RIDGE FOAM, INC.

443 WAREHOUSE DR.
LATROBE, PA 15650

P/N: 502148-99

SO#: **57724**

DATE MFD: **05/17**

